



FBS-20+C3



FBS-20C

**Description:**

FBS-20 automatic edge-folding stitching packaging machine is suitable for edge-folding and stitching of PP, PE woven bags, it has wide application in the fields of foodstuff, feed, chemical industry. This machine adopts photoelectric control system, which could automatically and continuously finish the processes of edge-folding, stitching, thread-snipping etc. of plastic woven bags.

**Features:**


1. The thread-snipping and lube spray is carried out by pneumatic system
2. It can make up an automatic production line with auto. ration filling machine and conveyor.
3. Optional device: 5 digits counter.

**FBS-20**

Suit for stitch packing of paper bag or woven bags after bag top folder.

## FBS-20C

### Mode of packing



### Parameters:

Model	FBS-20	FBS-20C+C3
Voltage(V/Hz)	AC 380/50	
Motor Power of Sewing Machine (W)	370	
Transmission Motor Power(W)	180	--
Sewing Machine Model	GK35-6, GK95-1	GK35-2
Distance from Sewing Machine to Floor(mm)	750-1280	
Transmission Speed(m/min)	7-10	
Folding Width(mm)	30-40	
Air Pressure(Mpa)	0.4-0.6	
Compressed Air Consumption(Nl/min)	3.5	
Needle Model	80800 200-250#	
Sewing Machine Specification	21S/5,20S/3 Terylene thread	
Height Space Request of Bag Top (mm)	150-170	
Net Weight(kg)	50	

